



DLAND AIRCRAFT	Tel.: +49 (0) 2652 934 685
m Flugplatz 12	Fax: +49 (0) 2652 934 686
- 56743 Mendig	www.roland-aircraft.de
1	n Flugplatz 12

Z-602 economy MTOW 525 kg, 540 kg, 600 kg Made in Germany

The Z-602 economy is an all-metal low-wing ultralight with versatile application posibilities at a very attractive price. Thanks to their excellent flight characteristics and reliability, it is the perfect All-rounder among premium ultralight aircraft.

Corrosion protection - standard Screws:  Other mounting hardware:  Cowling: Canopy Instrumentation:	aviation quality, parts complete CNC cutted on all contact points / lines aviation quality, AN  Bearings, bushings, connectors, Quick locks, and much more. are quality products Carbon CFK, mounting with quick locks Acrylic with UV protection, tinted, lockabel Airspeed, Altimeter Tachometer, compass	
Screws:  Other mounting hardware:  Cowling: Canopy Instrumentation:	aviation quality, AN  Bearings, bushings, connectors,  Quick locks, and much more. are quality products  Carbon CFK, mounting with quick locks  Acrylic with UV protection, tinted, lockabel  Airspeed, Altimeter	
Other mounting hardware:  Cowling: Canopy Instrumentation:	Bearings, bushings, connectors,  Quick locks, and much more. are quality products  Carbon CFK, mounting with quick locks  Acrylic with UV protection, tinted, lockabel  Airspeed, Altimeter	
Cowling: Canopy Instrumentation:	Quick locks, and much more. are quality products  Carbon CFK, mounting with quick locks  Acrylic with UV protection, tinted, lockabel  Airspeed, Altimeter	
Cowling: Canopy Instrumentation:	Carbon CFK, mounting with quick locks Acrylic with UV protection, tinted, lockabel Airspeed, Altimeter	
Cowling: Canopy Instrumentation:	Carbon CFK, mounting with quick locks Acrylic with UV protection, tinted, lockabel Airspeed, Altimeter	
Instrumentation:	Airspeed, Altimeter	
	Tachometer, compass	
	Flapsindicator with volt-	
	and tempindicator	
	Slip indicatur	
	Electric Fuel Gauge	
	Oil pressure and oil temperature indicator	
	Cylinder head temperature (water)	
	Choke, Gas with setting option	
	Fuse, overcurrent protection switch - automatic	
Panel:	Nextel painted by glare-free	
Ignition switch:	"on" and "off" electrical control of both magnets	
Engine:	Rotax 912 ULS (100 hp)	
	with slip clutch	
	and large starter	
	Exhaust system made of stainless steel	
	Additional electric fuel pump	
	Airbox made from CFK	
Firewall:	Stainless steel	
Petrol hose:	With heat protection	
Batterie:	Gel - Maintenance-free, 17 Amp, Standard approx. 6 kg	

Tank selector switch:	3-way switch, Newton-quality milled			
Propeller:	2 - blade CFK,adjustable on the ground	j		
Split flaps:	Electrically adjustable			
Trim:	Elevator, electrically adjustable			
Cable:	Transferred to special protection tubes,			
	Central plug on the fire wall			
Seat belt:	4-point shoulder belts			
Gear / legs:	Robust, led in plastic steel chassis,			
Rims:	Light alloy wheels, milled from solid material,			
	Tire changing is easy to install,			
	Hydraulic disc brakes with two-piston	Hydraulic disc brakes with two-piston calipers		
Brake:	Foot brake, individual wheel brake			
Interior:	Hardwearing, lightweight material			
	Durable, lightweight material			
	padded center console			
Cabin ventilation:	Adjustable ventilation			
Heat:	Cabin heating by heat exchangers on t	he exhaust system		
Storage space:	Luggage rack behind the seats 10 kg			
Tail.	Horizontal tail unit transition of CFK			
Tail:	Horizontal tail unit transition of CFK		Wings and tail	
Lashing rings:				
Lashing rings:	Wings and tail	10% VAT	Incl 10% VAT	
Lashing rings:  Basic equipment	Wings and tail  Net amount	19% VAT	Incl.19% VAT	
Lashing rings:	Wings and tail	19% VAT 14.743,36	Incl.19% VAT 92.340,00	€
Lashing rings:  Basic equipment	Wings and tail  Net amount			€
Lashing rings:  Basic equipment  Nosewheel version	Wings and tail  Net amount  77.596,64	14.743,36	92.340,00	
Lashing rings:  Basic equipment  Nosewheel version	Wings and tail  Net amount  77.596,64	14.743,36	92.340,00	
Basic equipment Nosewheel version Tailwheel version	Wings and tail  Net amount  77.596,64	14.743,36	92.340,00 92.340,00	
Lashing rings:  Basic equipment  Nosewheel version	Wings and tail  Net amount  77.596,64	14.743,36 14.743,36	92.340,00	
Basic equipment Nosewheel version Tailwheel version	Wings and tail  Net amount  77.596,64	14.743,36 14.743,36 Prices in Euro incl. 19% VAT	92.340,00 92.340,00	
Basic equipment Nosewheel version Tailwheel version  Z-602 economy  Nose wheel without rescue system	Wings and tail  Net amount  77.596,64  77.596,64	14.743,36 14.743,36 Prices in Euro incl. 19% VAT 92.340,00	92.340,00 92.340,00	
Basic equipment Nosewheel version Tailwheel version  Z-602 economy Nose wheel without rescue system Air suspension for nose wheel	Wings and tail  Net amount  77.596,64	14.743,36 14.743,36 Prices in Euro incl. 19% VAT 92.340,00 e 1.950,00	92.340,00 92.340,00	
Basic equipment Nosewheel version Tailwheel version  Z-602 economy  Nose wheel without rescue system Air suspension for nose wheel Tailwheel without rescue system	Wings and tail  Net amount  77.596,64  77.596,64  add. charge	14.743,36 14.743,36 Prices in Euro incl. 19% VAT 92.340,00 2 1.950,00 92.340,00	92.340,00 92.340,00	
Basic equipment Nosewheel version Tailwheel version  Z-602 economy Nose wheel without rescue system Air suspension for nose wheel	Wings and tail  Net amount  77.596,64  77.596,64	14.743,36 14.743,36 Prices in Euro incl. 19% VAT 92.340,00 2 1.950,00 92.340,00	92.340,00 92.340,00	
Basic equipment Nosewheel version Tailwheel version  Z-602 economy  Nose wheel without rescue system Air suspension for nose wheel Tailwheel without rescue system Air suspension for main gear	Wings and tail  Net amount  77.596,64  77.596,64  add. charge	14.743,36 14.743,36 Prices in Euro incl. 19% VAT 92.340,00 2 1.950,00 92.340,00	92.340,00 92.340,00	
Basic equipment Nosewheel version Tailwheel version  Z-602 economy  Nose wheel without rescue system Air suspension for nose wheel Tailwheel without rescue system Air suspension for main gear  Additional equipment	Wings and tail  Net amount  77.596,64  77.596,64  add. charge	14.743,36 14.743,36  Prices in Euro incl. 19% VAT  92.340,00 2 1.950,00 92.340,00 2 3.900,00	92.340,00 92.340,00	
Basic equipment Nosewheel version Tailwheel version  Z-602 economy  Nose wheel without rescue system Air suspension for nose wheel Tailwheel without rescue system Air suspension for main gear  Additional equipment  12V double socket 2x	Wings and tail  Net amount  77.596,64  77.596,64  add. charge	14.743,36 14.743,36  Prices in Euro incl. 19% VAT  92.340,00 2 1.950,00 92.340,00 2 3.900,00	92.340,00 92.340,00	
Basic equipment Nosewheel version Tailwheel version  Z-602 economy  Nose wheel without rescue system Air suspension for nose wheel Tailwheel without rescue system Air suspension for main gear  Additional equipment  12V double socket 2x 2x USB	Wings and tail  Net amount  77.596,64  77.596,64  add. charge	14.743,36 14.743,36 Prices in Euro incl. 19% VAT 92.340,00 2 1.950,00 92.340,00 2 3.900,00 68,00 80,00	92.340,00 92.340,00	
Basic equipment Nosewheel version Tailwheel version  Z-602 economy  Nose wheel without rescue system Air suspension for nose wheel Tailwheel without rescue system Air suspension for main gear  Additional equipment  12V double socket 2x 2x USB Fuel pressure	Wings and tail  Net amount  77.596,64  77.596,64  add. charge	14.743,36 14.743,36  Prices in Euro incl. 19% VAT  92.340,00 2 1.950,00 92.340,00 2 3.900,00 68,00 80,00 155,00	92.340,00 92.340,00	
Basic equipment Nosewheel version Tailwheel version  Z-602 economy  Nose wheel without rescue system Air suspension for nose wheel Tailwheel without rescue system Air suspension for main gear  Additional equipment  12V double socket 2x 2x USB Fuel pressure Hourmeter minutes	Wings and tail  Net amount  77.596,64  77.596,64  add. charge	14.743,36 14.743,36  Prices in Euro incl. 19% VAT  92.340,00 2 1.950,00 92.340,00 2 3.900,00 68,00 80,00 155,00 95,00	92.340,00 92.340,00	
Basic equipment Nosewheel version Tailwheel version  Z-602 economy Nose wheel without rescue system Air suspension for nose wheel Tailwheel without rescue system Air suspension for main gear  Additional equipment  12V double socket 2x 2x USB Fuel pressure Hourmeter minutes Pressure sensor for Pitot	Wings and tail  Net amount  77.596,64  77.596,64  add. charge	14.743,36 14.743,36  Prices in Euro incl. 19% VAT  92.340,00 2 1.950,00 92.340,00 2 3.900,00 68,00 80,00 155,00	92.340,00 92.340,00	
Basic equipment Nosewheel version Tailwheel version  Z-602 economy  Nose wheel without rescue system Air suspension for nose wheel Tailwheel without rescue system Air suspension for main gear  Additional equipment 12V double socket 2x 2x USB Fuel pressure Hourmeter minutes Pressure sensor for Pitot Radio 833 with antenna, 1x PTT hedged	Wings and tail  Net amount  77.596,64  77.596,64  add. charge	14.743,36 14.743,36  Prices in Euro incl. 19% VAT  92.340,00 2 1.950,00 92.340,00 2 3.900,00 68,00 80,00 155,00 95,00	92.340,00 92.340,00	
Basic equipment Nosewheel version Tailwheel version  Z-602 economy Nose wheel without rescue system Air suspension for nose wheel Tailwheel without rescue system Air suspension for main gear  Additional equipment  12V double socket 2x 2x USB Fuel pressure Hourmeter minutes Pressure sensor for Pitot	Wings and tail  Net amount  77.596,64  77.596,64  add. charge	14.743,36 14.743,36  Prices in Euro incl. 19% VAT  92.340,00 9. 1.950,00 92.340,00 95.00 95.00 155,00 95,00 150,00	92.340,00 92.340,00	

Wing tanks, at least 2 x 80 liters

Lockable, Newton-quality milled

Fuel Tanks:

Filler cap:

Transponder Mode S, antenna	3.205,00	
Manifold Pressure (Vacuum display)	227	
	265,00	
Aileron trim electrically	680,00	
Vario	295,00	
Vertical compass add. charg	ge 285,00	
Collision warning with display without programming	2 270 00	
Programming on request	2.370,00	
ELT Kannad Integra EASY EVO with mount and installation material	1.990,00	
-	1.550,00	
Propeller		
Propeller 2-Blade Carbon, el. Adj., Spinner add. charg	ge 4.300,00	
Propeller 3-Blade Carbon, adjustable on ground add. charg	ge 900,00	
Propeller 3-Blade Carbon, electrically adjustable add. charge	ge 4.700,00	
Constand Speed	710,00	
Propeller balancing dynamically	250,00	
Paintwork		
Paintwork dans les coleurs standard	5.600,00	
Additional colors on request add. charg		
Two-color paintwork - straight separation add. charg		
Metallic paintwork add. charg		
Deco stripes - straight strips	490,00	
Callsign with attaching	350,00	
Corrosion protection, inside complete	1.700,00	
Additional equipment	-	-
Additional equipment	Т	
Parachute Junkers Magnum with install hardware, MTOW 600 kg	6.975,00	
Parachute Junkers Magnum with install hardware, MTOW 472,5 / 525 / 540 kg	5.965,00	
Brake + Gas Copilot / Training	980,00	
Parking brake hydraulic	525,00	
Batterie - 5,5 Ah / 13,2 V, LIFEPO, ca. 1,2 kg add. charg	ge 280,00	
Batterie - 11 Ah, 13,2 V , LIFEPO , ca. 2,7 kg add. charg	ge 320,00	
Preheating for oil, 220 V	350,00	
Preheating for water, 220 V	350,00	
Oil cooler inlet flap, electrically adjustable	370,00	
Charles for the second by the New York 1		
Strobes for wings with Nav - red / green, Highpower LEDs	1.200,00	
Landinglight left wing , Highpower LEDs	500,00	
Landinglight fight wing, Highpower LEDs	500,00	
Stepping surface on the wings	Standard	
Step for nosewheel and tailwheel	600,00	
Towing equipment for glider		
with additional oil cooler	3.500,00	· · · · · · · · · · · · · · · · · · ·
		3/4

Fairing for wheel and leg, taildragger	CFK	1.350,00	
Fairing for wheel and leg, nose wheel	CFK	1.350,00	
			·
Installed external start box + plug		180,00	
Jump start - modified> Starter Cable		65,00	
Dorsal seat upholstery, additional	piece	95,00	
Carpet on the sidewall / seat	piece	75,00	
Carpet with Storage bag on the sidewall	piece	195,00	
Storage pockets for cards and small parts on the spar	set	130,00	
Pocket at the side of the knee	set	180,00	
Leather upgrade	add. charge	1.850,00	
Luggage compartment in the wings 2x 15 kg		750,00	
Canopy - glued sun protection		155,00	
Cover, Persenning -> Canopy		195,00	
Cover, Persenning -> wings, fuselage, tail		395,00	
Suspension device is provided for hangarage		450,00	
Variant with one iPad / iPad is not included in the price			
Icfly AHRS II with pressure option		970,00	
Mounting bracket		450,00	
Installation		1.600,00	
Variant with two iPad / iPad is not included in the price			
Mounting bracket and installation	add. charge	600,00	
Varietielle, agustiering d. 7. CO2 agusta mith bhaire daoine agus airte	<del></del>		-

Your fully configured Z-602 costs with their desire accessories

Price complete incl. 19% German Tax	0,00	
German Tax 19% included	0,00	
Net	0,00	

More or other equipment on request / price list is valid for new aircraft

Production in Mendig / Germany / Free from Mendig